

Genie XS.
Cleaning ON DEMAND!





Try the cleaning ON DEMAND experience: cleaning whenever and wherever you want

ALWAYS CHARGED AND READY TO USE Thanks to the lithium ion battery It is ideal to perform many, short and targeted cleaning operations during the same day

ALWAYS AT YOUR SIDE Small and lightweight, you can take it wherever you need it.

CLEANS EVERYWHERE
Thanks to its compact dimensions
there is no space too small to be cleaned



Scrubs and dries in a single pass.

The floor is dry and safe to walk on in just a few seconds, preventing the risk of dangerous slips.

Ideal for fast food restaurants, restaurants in general, self service diners or bars, even for cleaning during business hours.





LITHIUM ION TECHNOLOGY BATTERY



You can quickly recharge it to use it during the same day as often as you wish



ALWAYS READY TO USE

No self-discharge, Genie XS is always ready when you need it. No memory effect, you can recharge the battery whenever you want



FAST CHARGE

You can use Genie XS several times in a single day




MAXIMUM POWER

Constant power throughout the entire cleaning operation



LOW RUNNING

AND MAINTENANCE COSTS





HANDY BATTERY CHARGER

Lets you recharge anywhere, without wasting time





Genie XS

PARABOLIC SQUEEGEE Perfect scrubbing and drying, in any direction



The innovative rotary head is equipped with a parabolic squeegee which continuously follows the direction of the machine, for perfect scrubbing and drying results in any direction and even in the most inaccessible corners.





SLALOM CLEANING



FORWARD AND BACKWARD
CLEANING








The brush is offset laterally relative to the machine housing, for perfect cleaning along walls and making sure that the entire floor surface in a room is hygienically washed.



Genie XS is perfect for restaurant businesses, cleaning effectively and effortlessly under tables and chairs because it washes and dries also when moving backwards.



FUNCTIONAL

Genie XS is quick to disassemble, so even an inexperienced operator can clean it in very little time

The tanks are detached effortlessly and with no tools.

Refilling with clean water and cleaning the dirty water tank take almost no time at all, as does cleaning the solution filter, the squeegee hose and the vacuum manifold. Simplified maintenance at the end of the shift ensures that maintenance is performed regularly, as it only takes a few minutes.

Correct daily maintenance prevents the formation of mould and unpleasant odours inside the scrubbing machine

DETERGENT SOLUTION

KANALARI BURI DER MANTES KANDANDE

The squeegee rubber blade ensures outstanding drying performance even when cleaning oily liquids, which may commonly be found on the floors of a professional kitchen or restaurant

RECOVERY TANK

The frame and brush head are made of aluminium with an anti-corrosion treatment

loor hygiene

Designed to adapt to the operator for extraordinary comfort and safety





The controls on the steering wheel are simple and intuitive, and are easy to use for an inexperienced operator, ensuring total control over the machine and the cleaning process.

Cleaning settings are already pre-configured when using the automatic scrubbing function. Simply press the AUTO button to start.



The steering wheel height and tilt are adjustable to suit the stature of the operator and reduce back fatigue.

ECOMODE SYSTEM

Ideal for maintenance cleaning, as it ensures perfect hygiene with no wastage!



Saves water

R

Reduces the use of the chemical product

Reduces energy consumption

Reduces noise levels

A single button for optimising detergent solution usage and energy consumption, increasing working autonomy and reducing noise levels, for cleaning at any time of day without disturbing the people around.

ERGONOMICS





Sturdy and lightweight

With materials such as aluminium for the base and chassis, the Genie XS is both sturdy and lightweight, putting less strain on the operator during use and transport, even when carrying up and down stairs in buildings with no lifts. Once folded, the machine can be carried easily with the handle on the control bar.

Otherwise, a pair of large wheels let you pull the machine along like a trolley.



When not in use, the machine's compact dimensions mean that it can be stored anywhere, even in the smallest closet





| TECHNICAL DATA | | Genie XS |
|----------------|---------|----------|
| Squeegee width | mm | 325 |
| Working width | mm | 280 |
| Solution tank | I | 3 |
| Recovery tank | I | 4 |
| Disc brush Ø | (n.) mm | (1) 280 |
| Brush motor | V/W | 36/90 |
| Brush rpm | rpm | 150 |
| Brush pressure | kg | 10 |
| Suction motor | V/W | 36/150 |

| TECHNICAL DATA | | Genie XS |
|--------------------------------|--------------|--------------|
| Suction vacuum | mbar | 71 |
| Forward speed | km/h | 3,2 |
| Supply | V | 36 |
| Gradeability | 0/0 | 2 |
| Battery | | Li-lon |
| Battery power | V/Ah (n.) | 36/5,2 (1) |
| Machine weight (with battery) | kg | 20 |
| Machine dimensions (L x h x w) | mm | 555x1050x375 |
| Working capacity | up to sq.m/h | 900 |













FIMAP spa - Via Invalidi del Lavoro, 1 - 37059 S. Maria di Zevio - Verona - Italy Tel. +39 045 6060411 - Fax +39 045 6060417 - E-mail: fimap@fimap.com









